


[illegible]


[illegible]

[illegible]


驱动系统/DRIVE SYSTEM

[illegible]

驱动桥/DRIVE AXLE


[illegible]

变速箱(JD)/GEARBOX(JD)



序号/NO	编码/SN	名称
1	254198524001	箱体
2	254198524002	轴承座
3	254198524003	销片
4	254198524004	螺栓
5	254198524005	差速器总成
6	254198524006	O形密封圈 85×3.1
7	254198524007	轴承座
8	254198524008	弹簧垫圈
9	254198524009	螺栓 M10×25
10	254198524010	双联齿轮轴
11	254198524011	轴承
12	254198524012	轴承 NJ307E
13	254198524013	轴承 32206
14	254198524014	衬套
15	254198524015	调整垫
16	254198524016	锁紧螺母
17	254198524017	O形密封圈 62×3.1
18	254198524018	端盖
19	254198524019	螺栓 M10×25
20	254198524020	螺栓
21	254198524021	O形密封圈 25×2.4
22	254198524022	轴承 6305
23	254198524023	输入齿轮
24	254198524024	轴承 6208
25	254198524025	销 B10×28
26	254198524026	箱盖
27	254198524027	定位板
28	254198524028	螺栓 M10×1.25×15
29	254198524029	垫圈 12
30	254198524030	螺栓 M12×1.25×50
31	254198524031	螺栓 M12×1.25×100
32	254198524032	螺栓 M10×1.25×65

差速器/DIFFERENTIAL MECHANISM

[illegible]


前后轮总成/WHEEL ASSEMBLY

[illegible]


起升电机安装/MOTOR INSTALLATION

[illegible]

转向装置及安装/STEERING GEAR AND INSTALLATION


[illegible]

转向桥及安装/STEERING BRIDGE AND INSTALLATI




序号/NO	编码/SN	名称
A	254116010001	1. 5T转向桥
1	254198526001	转向桥体总成
2	254198526002	连杆
3	254198516003	转向油缸总成
4	254198526004	右转向节总成
5	254198526005	单向推力轴承198905
6	254198526006	滚针轴承943/25
7	254198526007	转向节主销
8	254198526009	骨架油封
9	254198526011	轴承30208
10	254198526012	轴承30206
11	254198526013	螺母M24x2
12	910400100014	垫圈24
13	910600600038	销5x50
14	254198526015	轮毂盖
15	254198526016	转向轮毂
16	255098526017	内六角锥端紧定螺钉M12X30
17	910300100008	螺母M12
18	254198526040	轮毂螺栓
19	254198526041	轮毂螺母
20	254198526010	转向节调整垫
21	253098526025	弯颈式油嘴Q701B45
22	254198516023	铁壳油封
23	254198526022	O型圈
24	910100300039	螺栓M10x40
25	910300100007	螺母M10
26	253098526019	直通油嘴Q700B06
27	254198526020	左转向节
28	254198526026	连杆销
29	254198526027	关节轴承GE15ES
30	254198526018	衬套
31	910100300009	螺栓M6x14
32	910400500005	垫圈6

转向桥及安装/STEERING BRIDGE AND INSTALLATION

[illegible]


[illegible][illegible]


座椅盖板安装/SEAT COVER MOUNTING




序号/NO	编码/SN	名称
1	252121011002	箱盖焊合(20Q锂电)
1	252121012002	箱盖焊合(20Q铅酸)
2	910300100005	螺母GB6170-M6-10
3	255021020046	护线圈
4	910200500053	螺钉 GB818-M6x20-4.8
5	255021020020	拉手
6	910400500005	弹垫 GB93-6
7	255021020068	减振垫
8	255021010005	铰链支架(左)
9	910100300024	螺栓 GB5783-M8x30-8.8
10	910200200041	螺钉 GB70.1-M6x40-4.8
11	255021010010	顶盖锁
12	255021020052	锁舌
13	910400100005	平垫 GB97.1-6-200HV
14	910400500008	弹垫 GB93-12
15	910400100008	平垫GB97.1-12-200HV
16	910300100008	螺母 GB6170-M12-10
17	910200500021	螺钉 GB818-M4x10-4.8
18	255021020055	固定板
19	255021020021	内拉手
20	910100300023	螺栓 GB5783-M8x25-8.8
21	255021020047	气弹簧支架
22	910400500006	弹垫 GB93-8
23	910400100006	平垫 GB97.1-8-200HV
24	255021020054	调整垫
25	255021020045	丝座板
26	255021020043	铰制孔螺栓M10x28
27	255021010006	铰链支架(右)
28	255021020071	调整垫片
29	910700900001	轴承GB9163-GE12E
30	910300100006	螺母 GB6170-M8-10
31	940400100030	气弹簧200N(D620)

座椅盖板安裝/SEAT COVER MOUNTING


[illegible]

[illegible]


仪表罩安装/INSTRUMENT COVER INSTALLATION	
--	--

[illegible]

平衡重及安裝/BALANCE WEIGHT AND MOUNTING


[illegible]

液压系统/HYDRAULIC




序号/NO	编码/SN	名称
1	252123520001	液压管总成(异)8-L2400-1SC-60°
2	252123520009	液压管总成(异)8-L2600-1SC-60°
3	252123520002	液压管总成(135°)6-L600-1SC-60°
4	255023520007	接头(直)6-G1/4-M14x1.5-60°
5	252123520003	液压管总成(135°)6-L750-1SC-60°
6	252123520010	胶管(回油)
7	911000600004	喉箍QC/T390-(34-38)
8	900200401001	回油胶管23x5
9	911000600003	喉箍QC/T390-(22-26)
10	252123520004	胶管(吸油)
11	911000600006	喉箍QC/T390-(40-45)
12	252123520005	液压管总成(90°)6-L450-1SC-60°
13	252123520006	液压管总成(135°)6-L500-1SC-60°
14	255023510012	接头(三通)7-2xM14x1.5-M16x1.5-60°
15	252123520011	液压管总成(90°)6-L1320-1SC-60°
16	251123521005	液压管总成(90°)8-L1320-1SC-60°
17	255023520034	接头(直)8-2xM16x1.5-60°
18	255023510003	接头(锁定弯)6-G1/4-M14x1.5-60°
19	255023510008	接头(锁定弯)11-M20x1.5-0
20	255023510007	接头(锁定弯)10-M20x1.5-M16x1.5-60°
21	255023520035	接头(锁定弯)12-G1/2-M22x1.5-60°
22	255023510006	齿轮泵
23	910400100007	平垫圈GB97.1-10-200HV
24	910400500007	弹簧垫圈GB93-10
25	910100300037	螺栓GB5783-M10x30-8.8
26	255023510005	接头(转向弯)25-G1-Φ32
27	255023520030	接头(直)12-2xM22x1.5-60°
28	255023510001	接头(锁定弯)6-M12x1.5-M14x1.5-60°
29	255044020143	接头(锁定弯)12-M20x1.5-M22x1.5-60°
30	255023520033	接头(直)8-M20x1.5-M16x1.5-60°
31	255023520004	液压管总成(90°)13-L2750-2SC-60°


多路换向阀操纵(二联)/MULTI-WAY REVERSING VALVE CON

[illegible]


多路换向阀操纵(三联)MULTI-WAY REVERSING VALVE CONTF

[illegible]


多路换向阀操纵(四联)MULTI-WAY REVERSING VALVE CONT.

[illegible]

工作油箱裝置及安裝/WORK TANK INSTALLATION AND INST


[illegible]

车架装配/FRAME ASSEMBLY





序号/NO	编码/SN	名称
1	910100300035	螺栓GB5783-M10x20-8.8
2	910400500007	弹簧垫圈GB93-10
3	910400100007	平垫圈GB97.1-10-200HV
4	252121511004	盖板焊合(左)
5	252121511010	前连板焊合
6	910100300063	螺栓GB5783-M14x35-8.8
7	910400500009	弹簧垫圈GB93-14
8	910400100009	平垫圈GB97.1-14-200HV
9	252121511001	车架焊合
10	910100200016	螺栓GB5785-M16x1.5x70-8.8
11	910400500010	弹簧垫圈GB93-16
12	910400100010	平垫圈GB97.1-16-200HV
13	252121521205	电瓶挡板左
14	252121511012	电瓶挡板焊合右
15	910100300020	螺栓GB5783-M8x16-8.8
16	910400500006	弹簧垫圈GB93-8
17	910400100006	平垫圈GB97.1-8-200HV
18	252121521096	挡板
19	910100300023	螺栓GB5783-M8x25-8.8
20	213019020009	垫I
21	252121511005	外侧板焊合(电池)
22	910200200059	螺钉GB70.1-M8x30-8.8
23	255012020012	聚氨酯管
24	910300100006	螺母GB6170-M8-10
25	252121521101	盖板(线路)
26	910200200074	螺钉GB70.1-M10x16-8.8
27	910200300018	螺钉GB70.2-M6x16-8.8
28	252121511006	盖板焊合(右)
29	255021020058	M6卡式螺母
30	252121511009	仪表架焊合
31	252121521102	安装板(接插件)
32	251021520001	盖

护顶架装配/TOP GUARD ASSEMBLY

[illegible]

电器系统/ELECTRONIC


[illegible]



电控组件/ELECTRONIC COMPONENTS


[illegible]

畜電池/BATTERY




序号/NO	编码/SN	名称
1	252137010001	牵引电池48V-4PzS460H(焊)
1	252137010002	牵引电池48V-4PzS460H(螺)
1	252137010005	牵引电池48V-4PzS400(焊)
1	252137010006	牵引电池48V-4PzS400(螺)
1	252137010009	牵引电池48V-4PzS360(焊)
1	252137010010	牵引电池48V-4PzS360(螺)
2	252198537001	电池单体48V-4PzS460HAh
2	252198537003	电池单体48V-4PzS460HAh
2	252198537005	电池单体48V-4PzS400Ah
2	252198537007	电池单体48V-4PzS400Ah
2	252198537009	电池单体48V-4PzS360Ah
2	252198537011	电池单体48V-4PzS360Ah
3	252137012101	锂电池48V-420(JN-B)
3	252137012102	锂电池48V-315(JN-B)
3	252137012103	锂电池48V-210(JN-B)
3	252137012104	锂电池48V-400(JN-A)
3	252137012105	锂电池48V-300(JN-A)
3	252137012106	锂电池48V-200(JN-A)
4	921000200067	充电器SN48V55A(亚中)
4	252136512111	锂电充电器48V100A-REMA(ADY亚中)
4	254336512116	锂电充电器48V150A-REMA(ADY亚中)
4	255136512106	锂电充电器48V200A-REMA(ADY亚中)
5	920400100021	接插件REMA95043-39
6	920400100022	接插件REMA95016-32
7	910200200046	螺钉GB70. 1-M6x60-8. 8
8	910400100005	平垫圈GB97. 1-6-200HV
9	910400500005	弹簧垫圈GB93-6

货叉/FORK


[illegible]

倾斜油缸/TILT CYLINDER




序号/NO	编码/SN	名称
A	252120510001	油缸 (TL) (TL) $\Phi 70 \times \Phi 32 \times 110$ (6/10)
A	252120510002	油缸 (TL) $\Phi 70 \times \Phi 32 \times 69$ (6/6)
A	252120510003	油缸 (TL) $\Phi 70 \times \Phi 32 \times 52$ (3/6)
A	252120510005	油缸 (TR) $\Phi 70 \times \Phi 32 \times 110$ (6/10)
A	252120510006	油缸 (TR) $\Phi 70 \times \Phi 32 \times 69$ (6/6)
A	252120510007	油缸 (TR) $\Phi 70 \times \Phi 32 \times 52$ (3/6)
B	252198510006	密封件修理包 (倾斜缸)
1	▲	直通式滑脂嘴Z1/8
2	252120510010	耳环
3	▲	关节轴承GE30ES
4	▲	挡圈47
5	▲	螺母M14
6	▲	垫圈14
7	▲	螺栓M14x55
8	▲	活塞体总成
9	▲	Yx型密封圈
10	▲	支承环D63x20x2.5
11	▲	防尘圈
12	▲	挡圈52
13	▲	挡圈
14	▲	挡片48x30x3
15	▲	U型密封圈
16	▲	导向套
17	▲	O型密封圈
18	▲	钢背轴承3025
19	▲	缸筒总成
20	▲	钢背轴承3040

门架(标准门架)/MAST(stand mast)




序号/NO	编码/SN	名称
1	910401300018	轴用弹性挡圈GB894. 1-35
2	940200300007	复合滚轮Φ78. 3-range=45. 3-49. 3
3	252144012001	内门架焊合(2500)
3	252144012002	内门架焊合(2700)
3	252144012003	内门架焊合(3000)
3	252144012004	内门架焊合(3300)
3	252144012005	内门架焊合(3500)
3	252144012006	内门架焊合(3700)
3	252144012007	内门架焊合(4000)
3	252144012008	内门架焊合(4300)
3	252144012009	内门架焊合(4500)
3	252144012010	内门架焊合(5000)
4	910100300035	螺栓GB5783-M10x20-8. 8
5	910400500007	弹簧垫圈GB93-10
6	253520510005	带耳轴Φ30x82
7	252144011001	外门架焊合(2500)
7	252144011002	外门架焊合(2700)
7	252144011003	外门架焊合(3000)
7	252144011004	外门架焊合(3300)
7	252144011005	外门架焊合(3500)
7	252144011006	外门架焊合(3700)
7	252144011007	外门架焊合(4000)
7	252144011008	外门架焊合(4300)
7	252144011009	外门架焊合(4500)
7	252144011010	外门架焊合(5000)
8	251144010001	带耳轴Φ30x82
9	254144020063	轴瓦
10	254144020067	轴承盖
11	910400500010	弹簧垫圈GB93-16
12	910100200016	螺栓GB5785-M16x1. 5x70-8. 8
13	911200100004	油杯JB7940. 1-M10x1

货叉架(标准门架)/FORK ARM CARRIER(stand mast)


[illegible]

起升油缸 (标准门架)/LIFTING CYLINDER (stand me




序号/NO	编码/SN	名称
1	940200500004	链轮轴承780708K1-Φ95xΦ40x21
2	910401300020	轴用弹性挡圈GB894.1-40
3	910100300051	螺栓GB5783-M12x35-8.8
4	910400500008	弹簧垫圈GB93-12
5	254144010021	油缸 Φ45x Φ35x1246
5	254144010022	油缸 Φ45x Φ35x1346
5	254144010023	油缸 Φ45x Φ35x1496
5	254144010024	油缸 Φ45x Φ35x1646
5	254144010025	油缸 Φ45x Φ35x1746
5	254144010026	油缸 Φ45x Φ35x1846
5	254144010027	油缸 Φ45x Φ35x1996
5	254144010028	油缸 Φ45x Φ35x2146
5	254144010029	油缸 Φ45x Φ35x2246
5	254144010030	油缸 Φ45x Φ35x2496
A	252144014001	起升链条LH1234-91
A	252043510023	起升链条LH1234-97
A	252144014003	起升链条LH1234-105
A	252144014004	起升链条LH1234-113
A	252144014005	起升链条LH1234-117
A	252144014006	起升链条LH1234-123
A	252144014007	起升链条LH1234-133
A	252144014008	起升链条LH1234-141
A	252144014009	起升链条LH1234-147
A	252144014010	起升链条LH1234-161
6	910600600014	开口销 2x36
7	910900400009	LH1223 板式链
8	254144020064	链条拉杆 M16x1.5-140.5
9	910600600030	开口销 3.2x30
10	254144020066	螺母 M16x1.5
11	910300200008	螺母 M16x1.5
12	254144020065	链条拉杆 M16x1.5-65
13	254144020060	U形螺栓 Φ57


起升油缸（标准门架）/LIFTING PIPE (stand mast)

[illegible]


门架起升管路（标准门架）/SINGLE ADDITIONAL TUBE (standard)
--

[illegible]

单附加管路(标准门架)DOUBLE ADDITIONAL TUBE(stand)

[illegible]

双附加管路(标准门架)

[illegible]

Name	数量/QTY	备注/Remark
Drive axle	1	
gasket	1	
Screw GB70.1 M6x12-8.8	2	
Spring washer gb93-6	2	
transmission(JD)	1	
The cylindrical pin GB119.2-8 x25	1	
Flat washer GB97.1-10-200 hv	12	
Spring washer gb93-10	12	
Bolt GB5786 - M10x1. 25 x - 8.8	12	
Nut GB6178 M20-8	1	
The flat washer GB97.1-14-200 hv	5	
Spring washer gb93-14	5	
Bolt GB5785 - M14x1. 5 x120 measures how - 10.9	3	
Cotter pin x40 GB91-4	1	
Spring washer gb93-20	1	
Flat washer GB97.1-20-200 hv	1	
Bolt tGB31.1 M20x90-8.8	1	
O-ring 90 x2. 65	1	
Motor (WN)	1	
The sensor	1	
Bolt GB5785 - M14x1. 5 x160-10.9	2	
Bolt GB5782 M12x45-8.8	2	
The flat washer GB97.1-12-200 hv	2	
Spring washer gb93-12	2	
The transition piece	1	
Electromagnetic brake	1	

Name	数量/QTY	备注/Remark
enclosure	1	
bearing	2	
Pin piece	4	
bolt	4	
Differential assembly	1	
O-ring 85×3.1	1	
bearing	1	
Spring washer	16	
Bolt M10 x 25	6	
Double gear shaft	1	
bearing	1	
Bearing NJ307E	1	
Bearing 32206	2	
bushing	1	
Adjust the pad	按需	
Lock nut	1	
O-ring 62×3.1	1	
End cover	1	
Bolt M10 x 25	4	
bolt	1	
O-ring 25×2.4	2	
Bearing 6305	4	
The input gear	1	
Bearing 6208	2	
Pin B10 x 28	2	
lid	1	
Positioning plate	1	
Bolt M10 * 1.25 * 15	2	
Gasket 12	8	
Bolt M12 x 1.25 x 50	2	
Bolt M12 x 1.25 x 100	6	
Bolt M10 * 1.25 * 65	4	

ON		
Name	数量/QTY	备注/Remark
The adjustable handle	1	
Elastic cylinder pin gb879.1-4x30	1	
Clamp holder screw sets	1	
Gasket Φ 20 x Φ 12 by 8	1	
Locking block	1	
Nut GB6172.1 - M12-05	1	
Bolt GB5783 M12x70-8.8	1	
Steering string assembly	1	
The steering wheel	1	
Pin GB882-6 x26x1. 6	1	
Cotter pin GB91-1.6 x10	1	
The fixed seat	1	
Adjust rod welding	1	
Adjust the screw	1	
Oil cup JB7940.1 - M10x1	1	
Composite set (shoulder) Φ 16 x Φ 18 x16 - SF -	2	
With trunnion Φ 16 x135	1	
Flat washer GB97.1-6-200 hv	1	
Spring washer gb93-6	1	
Bolt GB5783 M6x12-8.8	1	
Bolt GB5783 M10x25-8.8	4	
Spring washer gb93-10	4	
Flat washer GB97.1-10-200 hv	4	
Bracket welded	1	
Steering BZZ5	1	

ON

Name	数量/QTY	备注/Remark	
1.5T steering axle	1		外购件
Steering bridge assembly	1		外购件
Linking rod	2		外购件
Steering cylinder assembly	1		外购件
Right knuckle	1		外购件
Bearing198905	2		外购件
Bearing 943/25	2		外购件
Pin	2		外购件
framework seal ring	2		外购件
Bearing 30208	2		外购件
Bearing 30206	2		外购件
Hexagonal groove nut M24x2	2		外购件
Washer GB97. 1-24-200HV	2		标准件
Pin 5x50	2		标准件
Wheel hub cover	2		外购件
Steering wheel hub	2		外购件
Strict bolt	2		外购件
Nut GB6170-M12-10	2		标准件
Rim Bolt	12		外购件
Rim Nut (M14X1.5)	12		外购件
Pad	4		外购件
Grease nipple (90°)	2		外购件
Oil seal	4		外购件
O ring	2		外购件
Bolt M10X40	2		标准件
Nut GB6170-M10-10	12		标准件
Grease nipple	4		外购件
Left knuckle	1		外购件
Linking pin	4		外购件
Joint bearing GE15ES	4		外购件
Bushing	4		外购件
Bolt M6X12	4		标准件
Spring washer GB93-6	4		标准件

ON

[illegible]

[illegible]

Name	数量/QTY	备注/Remark
Welding of box cover (20Q lithium battery)	1	
Case cover welding (20Q lead acid)	1	
Nut GB6170 - M6-10	6	
To protect the coil	1	
Screw GB818 M6x20-4.8	1	
Shake handshandle	1	
Spring washers GB93-6	4	
Damping pad	2	
Hinge bracket (left)	1	
Bolt GB5783 M8x30-8.8	4	
Screw GB70.1 M6x40-4.8	3	
The lid lock	1	
The lock tongue	1	
Flat mat GB97.1-6-200 hv	2	
Spring washers GB93-12	1	
Flat mat GB97.1-12-200 hv	1	
Nut GB6170 - M12-10	1	
Screw GB818 M4x10-4.8	2	
Fixed plate	1	
The shake handshandle	1	
Bolt GB5783 M8x25-8.8	6	
Air spring support	2	
Spring washers GB93-8	10	
Flat mat GB97.1-8-200 hv	10	
Adjust the pad	2	
Wire plate	2	
Reaming hole bolt M10x28	2	
Hinge bracket (right)	2	
Adjust the gasket	2	
Bearing GB9163 - GE12E	2	
Nut GB6170 M8-10	2	
Gas spring 200 n (D620)	1	

[illegible]

[illegible]

[illegible]

Name	数量/QTY	备注/Remark
Hydraulic pipe assembly (other) 8-12400-1sc-60 °	1	
Hydraulic pipe assembly (other) 8-12600-1sc-60 °	1	
Hydraulic tube assembly (135°) 6-1600-1sc-60 °	1	
Joint (straight) 6-g1/4 - m14x1.5-60 °	4	
Hydraulic tube assembly (135°) 6-1750-1sc-60 °	1	
Rubber hose (oil return)	1	
Hose hoops QC/T390 - - 38 (34)	4	
Oil return hose 23x5	2560	
Hose hoops QC/T390 - (22-26),	2	
Rubber hose (oil absorption)	1	
Hose hoops QC/T390 - (40-45)	2	
Hydraulic tubing assembly (90°) 6-1450-1sc-60 °	1	
Hydraulic tube assembly (135°) 6-1500-1sc-60 °	1	
Joint (tee) 7-2xm14x1.5-m16x1.5-60 °	2	
Hydraulic tubing assembly (90°) 6-11320-1sc-60 °	1	
Hydraulic tube assembly (90°) 8-11320-1sc-60 °	1	
Joint (straight) 8-2xm16x1.5-60 °	2	
Joint (lock bend) 6-g1/4 - m14x1.5-60 °	1	
Joint (lock bend) 11-m20x1.5-0	1	
Joint (lock bend) 10-m20x1.5-m16x1.5-60 °	3	
Joint (lock bend) 12-g1/2 - m22x1.5-60 °	1	
The gear pump	1	
Flat washer GB97.1-10-200 hv	2	
Spring washer gb93-10	2	
Bolt GB5783 M10x30-8.8	1	
Joint (to bend) 25 - G1 - Φ 32	1	
Joint (straight) 12-2xm22x1.5-60 °	1	
Joint (lock bend) 6-m12x1.5-m14x1.5-60 °	1	
Joint (lock bend) 12-m20x1.5-m22x1.5-60 °	1	
Joint (straight)8- m20x1.5 - m16x1.5 -60°	1	
Hydraulic tubing assembly (90°) 13-12750-2sc-60 °	1	

TROL (TWO)		
Name	数量/QTY	备注/Remark
Multiple valve (double)	1	
Bolt GB5786 - M10x1. 25 x40-8.8	4	
Spring washer gb93-10	8	
Flat washer GB97. 1-10-200 hv	12	
Pin B4.75 x20 - c1B	4	
Cotter pin GB91-2 x12	4	
Support (stem)	1	
Bolt GB5783 M10x30-8.8	4	
Nut GB6170 - M10-10	4	
With trunnion Φ 16 x168	1	
Spring washer gb93-6	1	
Screw GB70.1 M6x10-8.8	1	
Handle ball (lift)	1	
Handle ball (tilt)	1	
Joystick welding (lifting)	1	
Joystick welding (tilt)	1	
Composite set Φ 16 x Φ 18 x15 - SF - 1	4	
Connecting rod	2	
Nut GB6170 M8-10	2	
joint	2	
Bracket (travel switch)	2	
Shaft sleeve Φ Φ x 16 x38 29	2	

ROL (THREE)

Name	数量/QTY	备注/Remark
Multiple valve (triple)	1	
Bolt GB5786 - M10x1. 25 x40-8.8	4	
Spring washer gb93-10	8	
Flat washer GB97. 1-10-200 hv	12	
Pin B4.75 x20 - c1B	6	
Cotter pin GB91-2 x12	6	
Support (stem)	1	
Bolt GB5783 M10x30-8.8	4	
Nut GB6170 - M10-10	4	
With trunnion Φ 16 x168	1	
Spring washer gb93-6	1	
Screw GB70.1 M6x10-8.8	1	
Handle ball (lift)	1	
Handle ball (tilt)	1	
Handle ball (belonging to 1)	1	
Joystick welding (lifting)	1	
Joystick welding (tilt)	1	
Joystick welding (tool 1)	1	
Composite set Φ 16 x Φ 18 x15 - SF - 1	6	
Connecting rod	3	
Nut GB6170 M8-10	3	
joint	3	
Bracket (travel switch)	3	
Joint (straight) 8-m20x1.5-m16x1.5-60°	2	
Shaft sleeve Φ Φ x 16 x38 29	1	

ROL (TOUR)		
Name	数量/QTY	备注/Remark
Multiway valve (quadruple)	1	
Bolt GB5786 - M10x1. 25 x40-8.8	4	
Spring washer gb93-10	8	
Flat washer GB97. 1-10-200 hv	12	
Pin B4.75 x20 - c1B	8	
Cotter pin GB91-2 x12	8	
Support (stem)	1	
Bolt GB5783 M10x30-8.8	4	
Nut GB6170 - M10-10	4	
With trunnion Φ 16 x168	1	
Spring washer gb93-6	1	
Screw GB70.1 M6x10-8.8	1	
Handle ball (lift)	1	
Handle ball (tilt)	1	
Handle ball (belonging to 1)	1	
Handball (belonging to 2)	1	
Joystick welding (lifting)	1	
Joystick welding (tilt)	1	
Joystick welding (tool 1)	1	
Joystick welding (kit 2)	1	
Composite set Φ 16 x Φ 18 x15 - SF - 1	8	
Connecting rod	4	
Nut GB6170 M8-10	4	
joint	4	
Bracket (travel switch)	4	
Joint (straight)8- m20x1.5 - m16x1.5 -60°	4	

CALCULATION

[illegible]

Name	数量/QTY	备注/Remark
Bolt GB5783 M10x20-8.8	5	
Spring washer gb93-10	5	
Flat washer GB97.1-10-200 hv	5	
Welding of cover plate (left)	1	
Butt welding	1	
Bolt GB5783 M14x35-8.8	4	
Spring washer gb93-14	4	
The flat washer GB97.1-14-200 hv	4	
Frame welded	1	
Bolt GB5785 - M16x1. 5 x70-8.8	4	
Spring washer gb93-16	4	
The flat washer GB97.1-16-200 hv	4	
Battery baffle left	1	
The battery baffle is welded to the right	1	
Bolt GB5783 M8x16-8.8	8	
Spring washer gb93-8	10	
The flat washer GB97.1-8-200 hv	10	
baffle	1	
Bolt GB5783 M8x25-8.8	2	
Mat I	1	
Soldered outer plate (battery)	1	
Screw GB70.1 M8x30-8.8	2	
Pu tube	2	
Nut GB6170 M8-10	4	
Cover plate (circuit)	1	
Screw GB70.1 M10x16-8.8	2	
Screw GB70.2 M6x16-8.8	4	
Welding of cover plate (right)	1	
M6 clip nut	4	
The meter stand is welded together	1	
Installation board (connector)	1	
cover	2	

Name	数量/QTY	备注/Remark
Key switch	1	
The horn 125 - DC24V	1	
The converter is DC48V to 24V	1	
Accelerator MO126D1 (ORG)	1	
Accelerator JCTH2-5L	1	
Micro switch RZ-15GQ22-B3	3	
Body wire harness (Inmotion-4P20Q)	1	半交流
Body wire harness (Inmotion-4P20Q-2)	1	全交流
Electronic control components (Inmotion-4P20Q)	1	半交流
Electronic control components (Inmotion-4P20Q-2)	1	全交流
Cable - U - 35-8-8-2400	1	
Cable - U - 35-8-8-2400	1	
Cable - U - 35-8-8-2400	1	
Instrument IDD - E - 35 CD17B	1	
Emergency stop switch LAY39-01MJ-RC	1	
Warped plate switch yb-nuoli-003	1	
Lamp PDL - LXJD - 01 Y	1	
Lamp PDL - LXHW - 2	2	
Lamp PDL - LXXD - 1	2	
Lamp PDL - LXZM - 1	2	
Combination switch JK361B-1003	1	

Name	数量/QTY	备注/Remark
Traction battery 48v-4pzs460H (weld)	1	
Traction battery 48v-4pzs460H (bolt)	1	
Traction battery 48v-4pzs400 (weld)	1	
Traction battery 48v-4pzs400 (bolt)	1	
Traction battery 48v-4pzs360 (weld)	1	
Traction battery 48v-4pzs360 (bolt)	1	
Battery cell 48v-4pzs460H(weld)	1	
Battery cell 48v-4pzs460H(weld)	1	
Battery cell 48v-4pzs400(weld)	1	
Battery cell 48v-4pzs400(weld)	1	
Battery cell 48v-4pzs360(weld)	1	
Battery cell 48v-4pzs360(weld)	1	
48 v lithium-ion batteries - 420 (Jacqueline Nottin)	1	经济型
48 v lithium-ion batteries - 315 (Jacqueline Nottin)	1	
48 v lithium-ion batteries - 210 (Jacqueline Nottin)	1	
48 v lithium-ion batteries - 400 (Jacqueline Nottin)	1	标准型
48 v lithium-ion batteries - 300 (Jacqueline Nottin)	1	
48 v lithium-ion batteries - 200 (Jacqueline Nottin)	1	
Charger SN48V55A(sub-central)	1	配铅酸电池
Lithium electric charger 48v100a-rema (ADY middle)	1	配200/210Ah锂电
Lithium electric charger 48v150a-rema (ADY middle)	1	配300/315Ah锂电
Lithium electric charger 48v200a-rema (ADY middle)	1	配400/420Ah锂电
Connectors REMA95043-39	1	
Connectors REMA95016-32	1	
Screw GB70.1 M6x60-8.8	1	
Flat washer GB97.1-6-200 hv	1	
Spring washer gb93-6	1	

Name	数量/QTY	备注/Remark
Oil cylinder (TL) (TL) Φ 70 x Φ 32 x110 (6/10)	1	H $\leq$ 3700, Left
Oil cylinder (TL) Φ 70 x Φ 32 x69 (6/6)	1	3700<H $\leq$ 5000, Left
Oil cylinder (TL) Φ 70 x Φ 32 x52 (3/6)	1	5000<H, Left
Oil cylinder (TR) Φ 70 x Φ 32 x110 (6/10)	1	H $\leq$ 3700, Right
Oil cylinder (TR) Φ 70 x Φ 32 x69 (6/6)	1	3700<H $\leq$ 5000, Right
Oil cylinder (TR) Φ 70 x Φ 32 x52 (3/6)	1	5000<H, Right
Seal kits (tlited cylinder)	2	
Grease mouth Z1/8	2	
Earring	2	
Bearing GE30ES	2	
Circlip 47	2	
NutM14	2	
Washer14	2	
BoltM14x55	2	
Piston body assembly	2	
Yx seal ring	2	
Support ring	2	
Dust ring	2	
Circlip 52	2	
Circlip	2	
Catch 48x30x3	2	
Useal ring 48x30x10	2	
Guide sleeve	2	
0 seal ring 63x3.1	2	
Bearing 3025	2	
Cylinder barrel assembly	2	
Bearing 3040	2	

Name	数量/QTY	备注/Remark
Shaft with elastic baffle gb894.1-35	4	
Composite roller Φ 78.3 = 45.3-49.3 range	4	
Inner mast (2500)	1	H=2500
Inner mast (2700)	1	H=2700
Inner mast (3000)	1	H=3000
Inner mast (3300)	1	H=3300
Inner mast (3500)	1	H=3500
Inner mast (3700)	1	H=3700
Inner mast (4000)	1	H=4000
Inner mast (4300)	1	H=4300
Inner mast (4500)	1	H=4500
Inner mast (5000)	1	H=5000
Bolt GB5783 M10x20-8.8	4	
Spring washer gb93-10	4	
With trunnion Φ 30x82	2	
Outer mast (2500)	1	H=2500
Outer mast (2700)	1	H=2700
Outer mast (3000)	1	H=3000
Outer mast (3300)	1	H=3300
Outer mast (3500)	1	H=3500
Outer mast (3700)	1	H=3700
Outer mast (4000)	1	H=4000
Outer mast (4300)	1	H=4300
Outer mast (4500)	1	H=4500
Outer mast (5000)	1	H=5000
With trunnion Φ 30 x82	2	
bush	2	
Bearing cover	2	
Spring washer gb93-16	4	
Bolt GB5785 - M16x1. 5 x70-8.8	4	
Oil cup JB7940.1 - M10x1	2	

[illegible]

ist)		
Name	数量/QTY	备注/Remark
Sprocket wheel bearing 780708 k1 - Φ 95 x 40 x21	2	
Shaft with elastic baffle gb894.1-40	2	
Bolt GB5783 M12x35-8.8	4	
Spring washer gb93-12	2	
cylinder 45 x35 x1246	2	H=2500
cylinder 45 x35 x1346	2	H=2700
cylinder 45 x 35 x1496	2	H=3000
cylinder 45 x 35 x1646	2	H=3300
cylinder 45 x 35 x1746	2	H=3500
cylinder 45 x 35 x1846	2	H=3700
cylinder 45 x 35 x1996	2	H=4000
cylinder 45 x 35 x2146	2	H=4300
cylinder 45 x 35 x2246	2	H=4500
cylinder 45 x 35 x2496	2	H=5000
Lifting chain lh1234-91	2	H=2500
Lifting chain lh1234-97	2	H=2700
Lifting chain lh1234-105	2	H=3000
Lifting chain lh1234-113	2	H=3300
Lifting chain lh1234-117	2	H=3500
Lifting chain lh1234-123	2	H=3700
Lifting chain lh1234-133	2	H=4000
Lifting chain lh1234-141	2	H=4300
Lifting chain lh1234-147	2	H=4500
Lifting chain lh1234-161	2	H=5000
Cotter pin 2 x36	2	
LH1223 plate chain	2	
Chain tie rod m16xl.5-140.5	1	
Cotter pin 3.2 x	2	
Nut M16xl. 5	2	
Nut M16xl. 5	2	
Chain tie rod m16xl.5-65	1	
U bolt Φ 57	2	

;))		
Name	数量/QTY	备注/Remark
shield	2	
The fixed seat	2	
The flat washer GB97.1-8-200 hv	4	
Spring washer gb93-8	4	
Nut GB6170 M8-10	4	
Bolt GB5783 M10x35-8.8	2	
Nut GB6170 - M10-10	2	
Spring washer gb93-10	6	
Bolt GB5786 - M10x1. 25 x20-8.8	2	
The piston rod	1	
Adjust the set of phi phi 35.5 x 44 x11	1	
Steel wire ring	1	
Bearing ring D45x8 (t = 2.5)	1	
35 x45x3 block slice	1	
Hole with sealing ring 45x35x6	1	
The piston	1	
Copper set of	1	
Steel wire ring	1	
35 x47x7 shield	1	
Shaft seal ring 35x45x6	1	
Guide sleeve	1	
O-ring 44.7x2.4	1	
Steel back bearing 3530	1	
Cylinder block	1	
Seal repair kit (lifting cylinder)	2	巴吕/INC. 98 22 22 25

und mast)

[illegible]

l mast)		
Name	数量/QTY	备注/Remark
Bolt GB5783 M12x40-8.8	1	
Spring washer gb93-12	1	
Big washer GB96.1-12-200 hv	1	
Bushings (shoulder) Φ Φ 13 x 20 x28	1	
Pulley Φ x42 110 (dual slot)	1	
Screw GB70.1 M8x45-8.8	1	
Spring washer gb93-8	6	
Installation plate (pipe clamp)	2	
Fixed block of hose	3	
Screw GB70.1 M8x35-8.8	1	
Hydraulic pipe assembly (straight) 8-L3370-1sc-60	2	H=2500
Hydraulic pipe assembly (straight) 8-L3500-1sc-60	2	H=2700
Hydraulic pipe assembly (straight) 8-L3800-1sc-60	2	H=3000
Hydraulic pipe assembly (straight) 8-L4200-1sc-60	2	H=3300
Hydraulic pipe assembly (straight) 8-L 4300-1sc-60	2	H=3500
Hydraulic pipe assembly (straight) 8-L4500-1sc-60	2	H=3700
Hydraulic tube assembly (straight) 8-L4900-1SC-60°	2	H=4000
Hydraulic pipe assembly (straight) 8-L5200-1sc-60	2	H=4300
Hydraulic pipe assembly (straight) 8-L5500-1sc-60	2	H=4500
Hydraulic tube assembly (straight) 8-L5950-1sc-60	2	H=5000
Connector (lock bend) 8-2xm16x1.5-60 °	2	
Screw GB70.1 M8x16-8.8	4	
The flat washer GB97.1-8-200 hv	2	
Bracket (right)	1	

